



mk@llaza.com
export@llaza.com
T. +34 977 990 600
F. +34 977 990 610

www.llaza.com

LLAZA WORLD, S.A.
Tramuntana, 1
Pol Ind. Roques Roges
43460 ALCOVER — Spain

STORBOX SQ-400

The awning that fits perfect shapes





Beyond its apparent austerity, square shapes act as windows to transcendental simplicity, reminding us that beauty can be found in the elegance of minimalism.

In every right angle, in every corner, there is an argument in favour of beauty in uniformity and serenity in structure.

The LLAZA STORBOX SQ-400 cassette awning, with its entirely metallic finishes, brings the elegance of colour and texture uniformity. With motorized operation, it adapts to front and ceiling installations, offering a wide range of inclination.

The slope adjustment system is fast and precise, requiring minimal opening of the awning for its execution. The result is spectacular.


The STORBOX SQ-400 reaches maximum dimensions of 6 meters in width by 4 meters in projection without losing the harmonious proportions conferred by its straight and essential forms.

LLAZA®

Basic technical specifications




Maximum dimensions (m)




Nº. Arms	Max. width	Max. projection
2	6,00	4,00

Dimensions (mm)

Wall mounting



Ceiling mounting



Lighting possibilities



- ☐ Perfil cofre
- ☒ Perfil frontal
- ☒ Brazos (Onyx Lux)

Slope

Wall



Ceiling



Usual installations

Terraces



Large terraces



HORECA



Mounting

- ☒ Frontal
- ☒ Ceiling

Operation

- ☐ Manual
- ☒ Motorised
- ☒ Automated

Classification

Standards: UNE-EN 13561:2015



Wind
Hasta 28Km/h



Durability
10.000 manoeuvres min.

Finishes

Lacquer in accordance with QUALICOAT standards
Stainless steel screws and bolts
Arms with integral laquering

Minimum width for recommended arms (m)


Projection	Minimum width
	2 Arms
1,50	1,90
1,75	2,14
2,00	2,39
2,25	2,64
2,50	2,89
2,75	3,14
3,00	3,39
3,25	3,64
3,50	3,89
3,75	4,14
4,00	4,39

Max. dimensions for recommended fabrics (m)

	Width x projection	2 Arms
RECACRIL	RECACRIL	6,00 x 4,00
	RECSYSTEM	6,00 x 4,00
	RECWATER	5,00 x 3,00
RECScreen	RecScreen 4000P - 1%	6,00 x 3,50
	RecScreen 6000 - 2%	5,00 x 3,00
	RecScreen 7000 - 3%	6,00 x 3,50
PVC	RECAFLEX PRO	5,25 x 3,00

Recommended with arms

LLAZA-ONYX System



Onyx-400
Onyx Lux-400